#### +Model REPC-2499; No. of Pages 2

## ARTICLE IN PRESS

Revista Portuguesa de Cardiologia xxx (xxxx) xxx-xxx



# Revista Portuguesa de Cardiología

Portuguese Journal of **Cardiology** 

www.revportcardiol.org



IMAGE IN CARDIOLOGY

# Thrombosis and stenosis in externally supported saphenous vein grafts: Findings on cardiac computed tomography

Trombose e estenose em enxertos de veia safena com suporte externo: achados na tomografia computorizada cardíaca

#### Lucia Fernandez Gasso

Cardiology Department, Santa Lucía General University Hospital, Paraje Los Arcos, C/Mezquita s/n, Cartagena 30202, Spain

Received 26 May 2025; accepted 6 September 2025

We present two illustrative cases with cardiac computed tomography (CT) findings following coronary artery bypass grafting (CABG) using saphenous vein grafts (SVGs) and a venous external support (VEST) device.

The first case shows complete thrombosis of an SVG entirely contained within the VEST device, documented one year after surgery (Panel A). The second case demonstrates severe stenosis at the origin of a radial artery graft to the second obtuse marginal branch and at the origin of an SVG to the right coronary artery. Additionally, there is marked thinning and a significant reduction in the graft's lumen within two VEST-supported sequential bypasses (Panel B).

The VEST device was developed to enhance SVG durability by limiting graft dilation and reducing intimal hyperplasia. However, clinical studies have shown mixed results, with patency rates comparable to those of unsupported SVGs (Figure 1).

E-mail address: lucynandez@hotmail.com

These cases illustrate the utility of cardiac CT for structural and functional evaluation of externally supported grafts. While a direct causal relationship between the VEST device and graft failure cannot be established, 1-4 imaging highlights the complexity of long-term graft surveillance and the need for individualized assessment.

We contribute uncommon examples to the literature with detailed imaging and late follow-up, which may help expand understanding of the behavior of externally supported venous grafts in clinical practice.

#### Ethical approval

The author of this manuscript hereby declares that all research procedures involving human participants were conducted in accordance with the ethical standards of the institutional and national research committee and with the 1964 Helsinki declaration and its later amendments or comparable ethical standards. Informed consent was obtained from the participant included in the study.

#### https://doi.org/10.1016/j.repc.2025.09.006

0870-2551/© 2025 Sociedade Portuguesa de Cardiologia. Published by Elsevier España, S.L.U. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Please cite this article as: L. Fernandez Gasso, Thrombosis and stenosis in externally supported saphenous vein grafts: Findings on cardiac computed tomography, Revista Portuguesa de Cardiologia, https://doi.org/10.1016/j.repc.2025.09.006

### **ARTICLE IN PRESS**

#### L. Fernandez Gasso




Figure 1 Panel A: Coronal and axial computed tomography (CT) image and three-dimensional (3D) reconstruction showing complete thrombosis of the circumflex artery, fully contained within the VEST device. Panel B: Axial CT image and 3D reconstruction showing severe stenosis at the origin of a radial artery graft to the second obtuse marginal branch and at the origin of an SVG to the right coronary artery. Additionally, there is a marked thinning and a significant reduction in the graft's lumen within two VEST-supported sequential bypasses.

#### Conflicts of interest

The author has no conflicts of interest to declare.

#### References

 Taggart DP, Gavrilov Y, Krasopoulos G, et al. External stenting and disease progression in saphenous vein grafts two years after coronary artery bypass grafting: a multicenter randomized trial. J Thorac Cardiovasc Surg. 2022;164, 1532–1541.e2.

- Taggart DP, Webb CM, Desouza A, et al. Long-term performance of an external stent for saphenous vein grafts: the VEST IV trial. J Cardiothorac Surg. 2018;13:117.
- 3. Goldstein DJ, Puskas JD, Alexander JH, et al. External support for saphenous vein grafts in coronary artery bypass surgery: a randomized clinical trial. JAMA Cardiol. 2022;7:808–16.
- Gemelli M, Gallo M, Addonizio M, et al. Venous external support in coronary artery bypass surgery: a systematic review and metaanalysis. Curr Probl Cardiol. 2023;48, 101687 [Epub 16 March 2023; PMID: 36931334].